



Corporate Accreditation No 63
Accredited for compliance with ISO/IEC 17025 - Testing



Analytical Report 282169

Issue Date: 03/04/2023
Issued By : [REDACTED]

Delivery Address: Sydney Water Corporation
51 Hermitage Rd
West Ryde NSW 2114
Telephone: (02) 9800 6935
Email: analyticalservices@sydneywater.com.au

Attention: [REDACTED]
Customer: Department of Planning and Environment
Customer ID: ZOEH_1

Address: [REDACTED]
Telephone: 02 9995 5031
Email: oe.h.forensics@environment.nsw.gov.au

CONTENTS

- 1. Sydney Water Approved Signatory
- 2. Sample Summary
- 3. Analytical results
- 4. Comments
- 5. Laboratory QC results

Sydney Water Approved Signatory

[REDACTED]	[REDACTED]	[REDACTED]
------------	------------	------------

Where a result is required to meet a compliance limit or specification the associated uncertainty must be considered. Uncertainty estimates are available for all accredited test results.

SAMPLE SUMMARY

<u>Client Sample ID</u>	<u>Sample Number</u>	<u>Sampling Procedure</u>	<u>Date Sampled</u>	<u>Date Received</u>	<u>Date Authorised</u>	<u>Description</u>
232073	L23028276	1	30/03/2023	31/03/2023	03/04/2023	DO SITE 2 (WATER SAMPLE)
232075	L23028277	1	30/03/2023	31/03/2023	03/04/2023	DO SITE 2 (WATER SAMPLE)
232077	L23028278	1	30/03/2023	31/03/2023	03/04/2023	DO SITE 3 (WATER SAMPLE)
232079	L23028279	1	30/03/2023	31/03/2023	03/04/2023	DO SITE 3 (WATER SAMPLE)
232081	L23028280	1	30/03/2023	31/03/2023	03/04/2023	DO SITE 4 (WATER SAMPLE)
232083	L23028281	1	30/03/2023	31/03/2023	03/04/2023	DO SITE 4 (WATER SAMPLE)
232085	L23028282	1	30/03/2023	31/03/2023	03/04/2023	DO SITE 6 (WATER SAMPLE)
232087	L23028283	1	30/03/2023	31/03/2023	03/04/2023	DO SITE 6 (WATER SAMPLE)
232089	L23028284	1	30/03/2023	31/03/2023	03/04/2023	DO SITE 7 (WATER SAMPLE)
232091	L23028285	1	30/03/2023	31/03/2023	03/04/2023	DO SITE 7 (WATER SAMPLE)

Sampling procedures

- 1 Samples analysed as received.
- 2 Samples collected as per FS procedures SAWI 070, Excluding Oil & Grease which is collected as per clients instructions.
- 3 Samples collected as per FS procedures SAWI 070.
- 4 Results reported as received from WNSW.

ANALYTICAL RESULTS

Client Sample ID		232073	232075	232077	232079	232081	232083	232085	232087
Sampled Date		30/03/2023 07:20:00 AM	30/03/2023 07:20:00 AM	30/03/2023 08:12:00 AM	30/03/2023 08:12:00 AM	30/03/2023 08:36:00 AM	30/03/2023 08:35:00 AM	30/03/2023 08:58:00 AM	30/03/2023 08:58:00 AM
Sample Number		L23028276	L23028277	L23028278	L23028279	L23028280	L23028281	L23028282	L23028283
ALGAL									
MA70CENTI : Total Algal ID & Enumeration, Including ASU & Biovolumes									
Blue Green ASU	ASU/mL	-	2070	-	1673	-	3474	-	1093
Blue Green Biovol	mm3/L	-	2.45	-	2.38	-	2.64	-	1.54
Potentially Toxic Algae	cells/mL	-	45870	-	37200	-	36210	-	14600
Potentially Toxic ASU	ASU/mL	-	1464	-	1076	-	1169	-	410.3
Potentially Toxic Biovol	mm3/L	-	1.84	-	1.08	-	1.32	-	0.406
Potentially Toxic Blue Green	cells/mL	-	45040	-	36830	-	36210	-	14600
Potentially Toxic Blue Green ASU	ASU/mL	-	1440	-	1065	-	1169	-	410.3
Potentially Toxic Blue Green Biovol	mm3/L	-	1.81	-	1.07	-	1.32	-	0.406
Total Algae	cells/mL	-	329900	-	199700	-	1232000	-	332400
Total ASU	ASU/mL	-	13570	-	8765	-	15430	-	7076

"-" = Not required or refer to Laboratory comment

Client Sample ID	232073	232075	232077	232079	232081	232083	232085	232087
Sampled Date	30/03/2023 07:20:00 AM	30/03/2023 07:20:00 AM	30/03/2023 08:12:00 AM	30/03/2023 08:12:00 AM	30/03/2023 08:36:00 AM	30/03/2023 08:35:00 AM	30/03/2023 08:58:00 AM	30/03/2023 08:58:00 AM
Sample Number	L23028276	L23028277	L23028278	L23028279	L23028280	L23028281	L23028282	L23028283

ALGAL

MA70CENTI : Total Algal ID & Enumeration, Including ASU & Biovolumes(Continued)

Total Biovol	mm3/L	-	14.86	-	7.87	-	16.89	-	7.07
Total Blue Green	cells/mL	-	262700	-	150400	-	1157000	-	283600
Total Colonies	cols/mL	-	0.00	-	0.00	-	0.00	-	0.00

MA91 : Individual Species Total Count, Total BioVol, Total ASU

Algae Source*	N/A	-	EXTERNAL	-	EXTERNAL	-	EXTERNAL	-	EXTERNAL
Date of Performance	DD/MM/YY		03/04/23 00:00		01/04/23 00:00		03/04/23 00:00		01/04/23 00:00

ORGANICS

TC0049DWI : Algal Toxins

Anatoxin-a(extracellular)	ug/L	<0.1	-	<0.1	-	<0.1	-	<0.1	-
Anatoxin-a(intracellular)	ug/L	<0.1	-	<0.1	-	<0.1	-	<0.1	-
Cylindrospermopsin (extra cellular)	ug/L	0.08	-	0.07	-	<0.05	-	<0.05	-

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID		232073	232075	232077	232079	232081	232083	232085	232087
Sampled Date		30/03/2023 07:20:00 AM	30/03/2023 07:20:00 AM	30/03/2023 08:12:00 AM	30/03/2023 08:12:00 AM	30/03/2023 08:36:00 AM	30/03/2023 08:35:00 AM	30/03/2023 08:58:00 AM	30/03/2023 08:58:00 AM
Sample Number		L23028276	L23028277	L23028278	L23028279	L23028280	L23028281	L23028282	L23028283
ORGANICS									
TC0049DWI : Algal Toxins(Continued)									
Cylindrospermopsin (intracellular)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Microcystin LR(extracellular)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Microcystin LR(intracellular)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Microcystin RR(extracellular)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Microcystin RR(intracellular)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Microcystin YR(extracellular)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Microcystin YR(intracellular)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Nodularin (extracellular)	ug/L	<0.1	-	<0.1	-	<0.1	-	<0.1	-
Nodularin (intracellular)	ug/L	<0.1	-	<0.1	-	<0.1	-	<0.1	-
Date of Performance	DD/MM/YY	31/03/23		31/03/23		31/03/23		31/03/23	

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	232073	232075	232077	232079	232081	232083	232085	232087
Sampled Date	30/03/2023 07:20:00 AM	30/03/2023 07:20:00 AM	30/03/2023 08:12:00 AM	30/03/2023 08:12:00 AM	30/03/2023 08:36:00 AM	30/03/2023 08:35:00 AM	30/03/2023 08:58:00 AM	30/03/2023 08:58:00 AM
Sample Number	L23028276	L23028277	L23028278	L23028279	L23028280	L23028281	L23028282	L23028283

ORGANICS

TC0061DWI : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS

C1	ug/L	<0.5	-	<0.5	-	<0.5	-	<0.5	-
C2	ug/L	<0.3	-	<0.3	-	<0.3	-	<0.3	-
dcGTX2	ug/L	<0.5	-	<0.5	-	<0.5	-	<0.5	-
dcGTX3	ug/L	<0.3	-	<0.3	-	<0.3	-	<0.3	-
dcNeo	ug/L	<0.5	-	<0.5	-	<0.5	-	<0.5	-
dcSTX	ug/L	<0.5	-	<0.5	-	<0.5	-	<0.5	-
GTX1	ug/L	<0.5	-	<0.5	-	<0.5	-	<0.5	-
GTX2	ug/L	<1	-	<1	-	<1	-	<1	-
GTX3	ug/L	<0.5	-	<0.5	-	<0.5	-	<0.5	-
GTX4	ug/L	<0.3	-	<0.3	-	<0.3	-	<0.3	-
GTX5	ug/L	<0.5	-	<0.5	-	<0.5	-	<0.5	-
GTX6	ug/L	<0.3	-	<0.3	-	<0.3	-	<0.3	-

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	232073	232075	232077	232079	232081	232083	232085	232087
Sampled Date	30/03/2023 07:20:00 AM	30/03/2023 07:20:00 AM	30/03/2023 08:12:00 AM	30/03/2023 08:12:00 AM	30/03/2023 08:36:00 AM	30/03/2023 08:35:00 AM	30/03/2023 08:58:00 AM	30/03/2023 08:58:00 AM
Sample Number	L23028276	L23028277	L23028278	L23028279	L23028280	L23028281	L23028282	L23028283

ORGANICS

TC0061DWI : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

Neosaxitoxin	ug/L	<0.3	-	<0.3	-	<0.3	-	<0.3	-
Saxitoxin	ug/L	<0.4	-	<0.4	-	<0.4	-	<0.4	-
Date of Performance	DD/MM/YY	31/03/23		31/03/23		31/03/23		31/03/23	

Client Sample ID	232089	232091						
Sampled Date	30/03/2023 09:17:00 AM	30/03/2023 09:17:00 AM						
Sample Number	L23028284	L23028285						

ALGAL

MA70CENTI : Total Algal ID & Enumeration, Including ASU & Biovolumes

Blue Green ASU	ASU/mL	-	788.4					
Blue Green Biovol	mm3/L	-	0.948					
Potentially Toxic Algae	cells/mL	-	16210					
Potentially Toxic ASU	ASU/mL	-	553.3					

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID		232089	232091						
Sampled Date		30/03/2023 09:17:00 AM	30/03/2023 09:17:00 AM						
Sample Number		L23028284	L23028285						
ALGAL									
MA70CENTI : Total Algal ID & Enumeration, Including ASU & Biovolumes(Continued)									
Potentially Toxic Biovol	mm3/L	-	0.829						
Potentially Toxic Blue Green	cells/mL	-	16210						
Potentially Toxic Blue Green ASU	ASU/mL	-	553.3						
Potentially Toxic Blue Green Biovol	mm3/L	-	0.829						
Total Algae	cells/mL	-	147700						
Total ASU	ASU/mL	-	7535						
Total Biovol	mm3/L	-	8.37						
Total Blue Green	cells/mL	-	95930						
Total Colonies	cols/mL	-	0.00						
MA91 : Individual Species Total Count, Total BioVol, Total ASU									
Algae Source*	N/A	-	EXTERNAL						

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID		232089	232091						
Sampled Date		30/03/2023 09:17:00 AM	30/03/2023 09:17:00 AM						
Sample Number		L23028284	L23028285						
ALGAL									
MA91 : Individual Species Total Count, Total BioVol, Total ASU(Continued)									
Date of Performance	DD/MM/YY		01/04/23 00:00						
ORGANICS									
TC0049DWI : Algal Toxins									
Anatoxin-a(extracellular)	ug/L	<0.1	-						
Anatoxin-a(intracellular)	ug/L	<0.1	-						
Cylindrospermopsin (extra cellular)	ug/L	<0.05	-						
Cylindrospermopsin (intra cellular)	ug/L	<0.05	-						
Microcystin LR(extracellular)	ug/L	<0.05	-						
Microcystin LR(intracellular)	ug/L	<0.05	-						
Microcystin RR(extracellular)	ug/L	<0.05	-						

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID		232089	232091						
Sampled Date		30/03/2023 09:17:00 AM	30/03/2023 09:17:00 AM						
Sample Number		L23028284	L23028285						
ORGANICS									
TC0049DWI : Algal Toxins(Continued)									
Microcystin RR(intracellular)	ug/L	<0.05	-						
Microcystin YR(extracellular)	ug/L	<0.05	-						
Microcystin YR(intracellular)	ug/L	<0.05	-						
Nodularin (extracellular)	ug/L	<0.1	-						
Nodularin (intracellular)	ug/L	<0.1	-						
Date of Performance	DD/MM/YY	31/03/23							
TC0061DWI : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS									
C1	ug/L	<0.5	-						
C2	ug/L	<0.3	-						
dcGTX2	ug/L	<0.5	-						
dcGTX3	ug/L	<0.3	-						

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID		232089	232091						
Sampled Date		30/03/2023 09:17:00 AM	30/03/2023 09:17:00 AM						
Sample Number		L23028284	L23028285						
ORGANICS									
TC0061DWI : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)									
dcNeo	ug/L	<0.5	-						
dcSTX	ug/L	<0.5	-						
GTX1	ug/L	<0.5	-						
GTX2	ug/L	<1	-						
GTX3	ug/L	<0.5	-						
GTX4	ug/L	<0.3	-						
GTX5	ug/L	<0.5	-						
GTX6	ug/L	<0.3	-						
Neosaxitoxin	ug/L	<0.3	-						
Saxitoxin	ug/L	<0.4	-						
Date of Performance	DD/MM/YY	31/03/23							

COMMENTS

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

<u>Sample ID</u>	<u>Comment Level</u>	<u>Method</u>	<u>Test</u>	<u>Comment</u>
L23028277	Method	MA91	-	Debris present in the sample.
L23028279	Method	MA91	-	Debris present in the sample.
L23028281	Method	MA91	-	Debris present in the sample.
L23028283	Method	MA91	-	Debris present in the sample.
L23028285	Method	MA91	-	Debris present in the sample.

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

LABORATORY QC RESULTS

N/A - Not Applicable

PQL - Practical Quantitation Limit

LOQ - Limit of Quantification

RPD - Relative Percent Difference

SPIKE/Positive Control - Addition of a known amount and concentration

Duplicate Precision = Accepted - Result 2 within 95% confidence limits of result 1

Duplicate Precision = Outlier - Result 2 outside 95% confidence limits of result 1

Duplicate Precision = Not calculated - Result is outside test range

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DWI Anatoxin-a(extracellular)						
<0.1 ug/L	<0.1	110 <i>50.0 - 120.0 ug/L</i>	100 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.1	<0.1	B <i>0.0 - 0.0 %</i>
TC0049DWI Anatoxin-a(intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B <i>0.0 - 0.0 %</i>
TC0049DWI Cylindrospermopsin (extracellular)						
<0.05 ug/L	<0.05	97 <i>50.0 - 120.0 ug/L</i>	53 % Recovery <i>50.0 - 130.0 % Recovery</i>	0.60	0.63	4.88 % <i>0.0 - 50.0 %</i>
TC0049DWI Cylindrospermopsin (intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DWI Microcystin LR(extracellular)						
<0.05 ug/L	<0.05	72 <i>50.0 - 120.0 ug/L</i>	69 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DWI Microcystin LR(intracellular)						
<0.05 ug/L	F		E	0.16	0.15	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DWI Microcystin RR(extracellular)						
<0.05 ug/L	<0.05	83 50.0 - 120.0 ug/L	74 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DWI Microcystin RR(intracellular)						
<0.05 ug/L	F		E	0.06	0.06	B 0.0 - 0.0 %
TC0049DWI Microcystin YR(extracellular)						
<0.05 ug/L	<0.05	86 50.0 - 120.0 ug/L	79 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DWI Microcystin YR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DWI Nodularin (extracellular)						
<0.1 ug/L	<0.1	78 50.0 - 120.0 ug/L	74 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DWI Nodularin (intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0061DWI C1						
<0.5 ug/L	<0.5	99 70.0 - 130.0 ug/L	99 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DWI C2						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	100 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DWI dcGTX2						
<0.5 ug/L	<0.5	110 <i>70.0 - 130.0 ug/L</i>	100 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DWI dcGTX3						
<0.3 ug/L	<0.3	100 <i>70.0 - 130.0 ug/L</i>	85 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DWI dcNeo						
<0.5 ug/L	<0.5	100 <i>70.0 - 130.0 ug/L</i>	54 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DWI dcSTX						
<0.5 ug/L	<0.5	110 <i>70.0 - 130.0 ug/L</i>	76 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DWI GTX1						
<0.5 ug/L	<0.5	100 <i>70.0 - 130.0 ug/L</i>	98 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DWI GTX2						
<1 ug/L	<1	100 <i>70.0 - 130.0 ug/L</i>	97 % Recovery <i>50.0 - 130.0 % Recovery</i>	<1	<1	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DWI GTX3						
<0.5 ug/L	<0.5	100 <i>70.0 - 130.0 ug/L</i>	100 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DWI GTX4						
<0.3 ug/L	<0.3	99 <i>70.0 - 130.0 ug/L</i>	92 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DWI GTX5						
<0.5 ug/L	<0.5	95 <i>70.0 - 130.0 ug/L</i>	81 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DWI GTX6						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	110 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DWI Neosaxitoxin						
<0.3 ug/L	<0.3	98 <i>70.0 - 130.0 ug/L</i>	70 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DWI Saxitoxin						
<0.4 ug/L	<0.4	100 <i>70.0 - 130.0 ug/L</i>	82 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.4	<0.4	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

Extra Note:

F: Blank is not applicable for this analyte

E: Spike is not applicable for this analyte

DUPLICATE Anatoxin-a(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cylindrospermopsin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcNeo B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcSTX B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX4 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX5 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX6 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Neosaxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Saxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

* Indicates NATA accreditation does not cover the performance of this service