



Corporate Accreditation No 63
Accredited for compliance with ISO/IEC 17025 - Testing



Analytical Report 285354

Issue Date: 30/05/2023
Issued By : Sydney Water Laboratory Services

Delivery Address: Sydney Water Corporation
[REDACTED]
West Ryde NSW 2114

Telephone: [REDACTED]
Email: [REDACTED]

Attention: [REDACTED]
Customer: Department of Planning and Environment
Customer ID: ZOEH_1

Address: [REDACTED]
Telephone: [REDACTED]
Email: [REDACTED]

CONTENTS

1. Sydney Water Approved Signatory
2. Sample Summary
3. Analytical results
4. Comments
5. Laboratory QC results

Sydney Water Approved Signatory

[REDACTED], Phycology Supervisor	[REDACTED], Phycology Analyst	[REDACTED], Organics Senior Analyst
----------------------------------	-------------------------------	-------------------------------------

Where a result is required to meet a compliance limit or specification the associated uncertainty must be considered. Uncertainty estimates are available for all accredited test results.

SAMPLE SUMMARY

<u>Client Sample ID</u>	<u>Sample Number</u>	<u>Sampling Procedure</u>	<u>Date Sampled</u>	<u>Date Received</u>	<u>Date Authorised</u>	<u>Description</u>
233278	L23040744	1	11/05/2023	16/05/2023	28/05/2023	E11 (ENVIRONMENTAL WATER)
233279	L23040745	1	11/05/2023	16/05/2023	29/05/2023	E11 (ENVIRONMENTAL WATER)
233285	L23040746	1	11/05/2023	16/05/2023	28/05/2023	E12 (ENVIRONMENTAL WATER)
233286	L23040747	1	11/05/2023	16/05/2023	29/05/2023	E12 (ENVIRONMENTAL WATER)
233292	L23040748	1	11/05/2023	16/05/2023	28/05/2023	E13 (ENVIRONMENTAL WATER)
233293	L23040749	1	11/05/2023	16/05/2023	29/05/2023	E13 (ENVIRONMENTAL WATER)
233299	L23040750	1	11/05/2023	16/05/2023	28/05/2023	E14 (ENVIRONMENTAL WATER)
233300	L23040751	1	11/05/2023	16/05/2023	29/05/2023	E14 (ENVIRONMENTAL WATER)
233306	L23040752	1	11/05/2023	16/05/2023	28/05/2023	E15 (ENVIRONMENTAL WATER)
233307	L23040753	1	11/05/2023	16/05/2023	29/05/2023	E15 (ENVIRONMENTAL WATER)

Sampling procedures

- 1 Samples analysed as received.
- 2 Samples collected as per FS procedures SAWI 070, Excluding Oil & Grease which is collected as per clients instructions.
- 3 Samples collected as per FS procedures SAWI 070.
- 4 Results reported as received from WNSW.

ANALYTICAL RESULTS

Client Sample ID	233278	233279	233285	233286	233292	233293	233299	233300
Sampled Date	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM
Sample Number	L23040744	L23040745	L23040746	L23040747	L23040748	L23040749	L23040750	L23040751

ALGAL

MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes

Blue Green ASU	ASU/mL	-	2385	-	3120	-	2470	-	3974
Blue Green Biovol	mm3/L	-	4.3	-	3.96	-	1.69	-	8.7
Potentially Toxic Blue Green	cells/mL	-	4430	-	4760	-	2620	-	1020
Potentially Toxic Blue Green ASU	ASU/mL	-	167.3	-	200.6	-	76.5	-	68.5
Potentially Toxic Blue Green Biovol	mm3/L	-	0.129	-	0.198	-	0.092	-	0.106
Total Blue Green	cells/mL	-	350600	-	961700	-	706700	-	637800

MA91 : Individual Species Total Count, Total BioVol, Total ASU

Algae Source*	N/A	-	EXTERNAL	-	EXTERNAL	-	EXTERNAL	-	EXTERNAL
Date of Performance	DD/MM/YY		29/05/23 00:00		29/05/23 00:00		29/05/23 00:00		29/05/23 00:00

ORGANICS

TC0049DW : Algal Toxins

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	233278	233279	233285	233286	233292	233293	233299	233300
Sampled Date	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM
Sample Number	L23040744	L23040745	L23040746	L23040747	L23040748	L23040749	L23040750	L23040751

ORGANICS

TC0049DW : Algal Toxins(Continued)

Anatoxin-a(extracellular)	ug/L	<0.1	-	<0.1	-	<0.1	-	<0.1	-
Anatoxin-a(intracellular)	ug/L	<0.1	-	<0.1	-	<0.1	-	<0.1	-
Anatoxin-a(total)	ug/L	<0.1	-	<0.1	-	<0.1	-	<0.1	-
Cylindrospermopsin (extra cellular)	ug/L	0.68	-	0.74	-	0.62	-	0.68	-
Cylindrospermopsin (intra cellular)	ug/L	0.08	-	0.07	-	0.12	-	<0.05	-
Cylindrospermopsin(total)	ug/L	0.76	-	0.81	-	0.74	-	0.70	-
Microcystin LR(extracellular)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Microcystin LR(intracellular)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Microcystin LR(total)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Microcystin RR(extracellular)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	233278	233279	233285	233286	233292	233293	233299	233300
Sampled Date	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM
Sample Number	L23040744	L23040745	L23040746	L23040747	L23040748	L23040749	L23040750	L23040751

ORGANICS

TC0049DW : Algal Toxins(Continued)

Microcystin RR(intracellular)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Microcystin RR(total)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Microcystin YR(extracellular)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Microcystin YR(intracellular)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Microcystin YR(total)	ug/L	<0.05	-	<0.05	-	<0.05	-	<0.05	-
Nodularin (extracellular)	ug/L	<0.1	-	<0.1	-	<0.1	-	<0.1	-
Nodularin (intracellular)	ug/L	<0.1	-	<0.1	-	<0.1	-	<0.1	-
Nodularin (total)	ug/L	<0.1	-	<0.1	-	<0.1	-	<0.1	-
Date of Performance	DD/MM/YY	16/05/23		16/05/23		16/05/23		16/05/23	

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS

C1	ug/L	<0.5	-	<0.5	-	<0.5	-	<0.5	-

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	233278	233279	233285	233286	233292	233293	233299	233300
Sampled Date	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM
Sample Number	L23040744	L23040745	L23040746	L23040747	L23040748	L23040749	L23040750	L23040751

ORGANICS

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

C2	ug/L	<0.3	-	<0.3	-	<0.3	-	<0.3	-
dcGTX2	ug/L	<0.5	-	<0.5	-	<0.5	-	<0.5	-
dcGTX3	ug/L	<0.3	-	<0.3	-	<0.3	-	<0.3	-
dcNeo	ug/L	<0.5	-	<0.5	-	<0.5	-	<0.5	-
dcSTX	ug/L	<0.5	-	<0.5	-	<0.5	-	<0.5	-
GTX1	ug/L	<0.5	-	<0.5	-	<0.5	-	<0.5	-
GTX2	ug/L	<1	-	<1	-	<1	-	<1	-
GTX3	ug/L	<0.5	-	<0.5	-	<0.5	-	<0.5	-
GTX4	ug/L	<0.3	-	<0.3	-	<0.3	-	<0.3	-
GTX5	ug/L	<0.5	-	<0.5	-	<0.5	-	<0.5	-
GTX6	ug/L	<0.3	-	<0.3	-	<0.3	-	<0.3	-
Neosaxitoxin	ug/L	<0.3	-	<0.3	-	<0.3	-	<0.3	-

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	233278	233279	233285	233286	233292	233293	233299	233300
Sampled Date	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM
Sample Number	L23040744	L23040745	L23040746	L23040747	L23040748	L23040749	L23040750	L23040751

ORGANICS

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

Saxitoxin	ug/L	<0.4	-	<0.4	-	<0.4	-	<0.4	-
Date of Performance	DD/MM/YY	24/05/23		24/05/23		24/05/23		24/05/23	

Client Sample ID	233306	233307						
Sampled Date	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM						
Sample Number	L23040752	L23040753						

ALGAL

MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes

Blue Green ASU	ASU/mL	-	2831					
Blue Green Biovol	mm3/L	-	4.11					
Potentially Toxic Blue Green	cells/mL	-	0					
Potentially Toxic Blue Green ASU	ASU/mL	-	0.00					

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID		233306	233307						
Sampled Date		11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM						
Sample Number		L23040752	L23040753						
ALGAL									
MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes(Continued)									
Potentially Toxic Blue Green Biovol	mm3/L	-	0.000						
Total Blue Green	cells/mL	-	1236000						
MA91 : Individual Species Total Count, Total BioVol, Total ASU									
Algae Source*	N/A	-	EXTERNAL						
Date of Performance	DD/MM/YY		29/05/23 00:00						
ORGANICS									
TC0049DW : Algal Toxins									
Anatoxin-a(extracellular)	ug/L	<0.1	-						
Anatoxin-a(intracellular)	ug/L	<0.1	-						
Anatoxin-a(total)	ug/L	<0.1	-						
Cylindrospermopsin (extra cellular)	ug/L	0.66	-						

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	233306	233307						
Sampled Date	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM						
Sample Number	L23040752	L23040753						

ORGANICS

TC0049DW : Algal Toxins(Continued)

Cylindrospermopsin (intra cellular)	ug/L	<0.05	-					
Cylindrospermopsin(total)	ug/L	0.67	-					
Microcystin LR(extracellular)	ug/L	<0.05	-					
Microcystin LR(intracellular)	ug/L	<0.05	-					
Microcystin LR(total)	ug/L	<0.05	-					
Microcystin RR(extracellular)	ug/L	<0.05	-					
Microcystin RR(intracellular)	ug/L	<0.05	-					
Microcystin RR(total)	ug/L	<0.05	-					
Microcystin YR(extracellular)	ug/L	<0.05	-					
Microcystin YR(intracellular)	ug/L	<0.05	-					

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	233306	233307						
Sampled Date	11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM						
Sample Number	L23040752	L23040753						

ORGANICS

TC0049DW : Algal Toxins(Continued)

Microcystin YR(total)	ug/L	<0.05	-					
Nodularin (extracellular)	ug/L	<0.1	-					
Nodularin (intracellular)	ug/L	<0.1	-					
Nodularin (total)	ug/L	<0.1	-					
Date of Performance	DD/MM/YY	16/05/23						

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS

C1	ug/L	<0.5	-					
C2	ug/L	<0.3	-					
dcGTX2	ug/L	<0.5	-					
dcGTX3	ug/L	<0.3	-					
dcNeo	ug/L	<0.5	-					
dcSTX	ug/L	<0.5	-					

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID		233306	233307						
Sampled Date		11/05/2023 12:00:00 AM	11/05/2023 12:00:00 AM						
Sample Number		L23040752	L23040753						
ORGANICS									
TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)									
GTX1	ug/L	<0.5	-						
GTX2	ug/L	<1	-						
GTX3	ug/L	<0.5	-						
GTX4	ug/L	<0.3	-						
GTX5	ug/L	<0.5	-						
GTX6	ug/L	<0.3	-						
Neosaxitoxin	ug/L	<0.3	-						
Saxitoxin	ug/L	<0.4	-						
Date of Performance	DD/MM/YY	24/05/23							

COMMENTS

<u>Sample ID</u>	<u>Comment Level</u>	<u>Method</u>	<u>Test</u>	<u>Comment</u>
L23040745	Method	MA91	-	Debris present in the sample.
L23040747	Method	MA91	-	Debris present in the sample.

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

L23040749	Method	MA91	-	Sample received partially preserved, results may be compromised. Debris present in the sample.
L23040751	Method	MA91	-	Debris present in the sample.
L23040753	Method	MA91	-	Sample received partially preserved, results may be compromised. Debris present.

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

LABORATORY QC RESULTS

N/A - Not Applicable

PQL - Practical Quantitation Limit

LOQ - Limit of Quantification

RPD - Relative Percent Difference

SPIKE/Positive Control - Addition of a known amount and concentration

Duplicate Precision = Accepted - Result 2 within 95% confidence limits of result 1

Duplicate Precision = Outlier - Result 2 outside 95% confidence limits of result 1

Duplicate Precision = Not calculated - Result is outside test range

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Anatoxin-a(extracellular)						
<0.1 ug/L	<0.1	100 50.0 - 120.0 ug/L	86 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Anatoxin-a(intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Anatoxin-a(total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Cyindrospermopsin (extracellular)						
<0.05 ug/L	<0.05	89 50.0 - 120.0 ug/L	58 % Recovery 50.0 - 130.0 % Recovery	0.66	0.68	2.99 % 0.0 - 50.0 %
TC0049DW Cyindrospermopsin (intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Cyindrospermopsin(total)						
<0.05 ug/L	F		E	0.67	0.71	5.80 % 0.0 - 50.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin LR(extracellular)						
<0.05 ug/L	<0.05	76 50.0 - 120.0 ug/L	66 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin LR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin LR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(extracellular)						
<0.05 ug/L	<0.05	78 50.0 - 120.0 ug/L	55 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin YR(extracellular)						
<0.05 ug/L	<0.05	78 50.0 - 120.0 ug/L	58 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin YR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin YR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Nodularin (extracellular)						
<0.1 ug/L	<0.1	74 50.0 - 120.0 ug/L	64 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0061DW C1						
<0.5 ug/L	<0.5	100 70.0 - 130.0 ug/L	85 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %
TC0061DW C2						
<0.3 ug/L	<0.3	88 70.0 - 130.0 ug/L	78 % Recovery 50.0 - 130.0 % Recovery	<0.3	<0.3	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW dcGTX2						
<0.5 ug/L	<0.5	120 <i>70.0 - 130.0 ug/L</i>	90 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW dcGTX3						
<0.3 ug/L	<0.3	120 <i>70.0 - 130.0 ug/L</i>	81 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW dcNeo						
<0.5 ug/L	<0.5	130 <i>70.0 - 130.0 ug/L</i>	62 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW dcSTX						
<0.5 ug/L	<0.5	130 <i>70.0 - 130.0 ug/L</i>	84 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX1						
<0.5 ug/L	<0.5	110 <i>70.0 - 130.0 ug/L</i>	77 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX2						
<1 ug/L	<1	120 <i>70.0 - 130.0 ug/L</i>	93 % Recovery <i>50.0 - 130.0 % Recovery</i>	<1	<1	B <i>0.0 - 0.0 %</i>
TC0061DW GTX3						
<0.5 ug/L	<0.5	110 <i>70.0 - 130.0 ug/L</i>	91 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW GTX4						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	74 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW GTX5						
<0.5 ug/L	<0.5	100 <i>70.0 - 130.0 ug/L</i>	77 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX6						
<0.3 ug/L	<0.3	100 <i>70.0 - 130.0 ug/L</i>	110 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Neosaxitoxin						
<0.3 ug/L	<0.3	130 <i>70.0 - 130.0 ug/L</i>	84 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Saxitoxin						
<0.4 ug/L	<0.4	130 <i>70.0 - 130.0 ug/L</i>	100 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.4	<0.4	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

Extra Note:

F: Blank is not applicable for this analyte

E: Spike is not applicable for this analyte

DUPLICATE Anatoxin-a(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cylindrospermopsin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcNeo B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcSTX B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX4 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX5 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX6 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Neosaxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Saxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

* Indicates NATA accreditation does not cover the performance of this service