



Corporate Accreditation No 63
Accredited for compliance with ISO/IEC 17025 - Testing



Analytical Report 286397

Issue Date: 17/06/2023
Issued By : Sydney Water Laboratory Services

Delivery Address: Sydney Water Corporation
[REDACTED]
West Ryde NSW 2114

Telephone: [REDACTED]
Email: [REDACTED]

Attention: [REDACTED]
Customer: Department of Planning and Environment
Customer ID: ZOEH_1

Address: [REDACTED]
Telephone: [REDACTED]
Email: [REDACTED]

CONTENTS

1. Sydney Water Approved Signatory
2. Sample Summary
3. Analytical results
4. Comments
5. Laboratory QC results

Sydney Water Approved Signatory

[REDACTED], Phycology Analyst	[REDACTED], Phycology Analyst	[REDACTED], Phycology Analyst
[REDACTED], Organics Senior Analyst		

Where a result is required to meet a compliance limit or specification the associated uncertainty must be considered. Uncertainty estimates are available for all accredited test results.

SAMPLE SUMMARY

<u>Client Sample ID</u>	<u>Sample Number</u>	<u>Sampling Procedure</u>	<u>Date Sampled</u>	<u>Date Received</u>	<u>Date Authorised</u>	<u>Description</u>
234255	L23044625	1	24/05/2023	29/05/2023	02/06/2023	E8 (ENVIRONMENTAL WATER)
234256	L23044626	1	24/05/2023	29/05/2023	02/06/2023	E9 (ENVIRONMENTAL WATER)
234257	L23044627	1	24/05/2023	29/05/2023	02/06/2023	E10 (ENVIRONMENTAL WATER)
234258	L23044628	1	24/05/2023	29/05/2023	02/06/2023	B4 (ENVIRONMENTAL WATER)
234259	L23044629	1	24/05/2023	29/05/2023	02/06/2023	E6 (ENVIRONMENTAL WATER)
234260	L23044630	1	24/05/2023	29/05/2023	02/06/2023	E6.5 (ENVIRONMENTAL WATER)
234261	L23044631	1	24/05/2023	29/05/2023	02/06/2023	E7 (ENVIRONMENTAL WATER)
234269	L23044632	1	24/05/2023	29/05/2023	16/06/2023	E8 (ENVIRONMENTAL WATER)
234270	L23044633	1	24/05/2023	29/05/2023	13/06/2023	E9 (ENVIRONMENTAL WATER)
234271	L23044634	1	24/05/2023	29/05/2023	16/06/2023	E10 (ENVIRONMENTAL WATER)
234272	L23044635	1	24/05/2023	29/05/2023	16/06/2023	B4 (ENVIRONMENTAL WATER)
234273	L23044636	1	24/05/2023	29/05/2023	13/06/2023	E6 (ENVIRONMENTAL WATER)
234274	L23044637	1	24/05/2023	29/05/2023	16/06/2023	E6.5 (ENVIRONMENTAL WATER)
234275	L23044638	1	24/05/2023	29/05/2023	16/06/2023	E7 (ENVIRONMENTAL WATER)

Sampling procedures

- 1 Samples analysed as received.
- 2 Samples collected as per FS procedures SAWI 070, Excluding Oil & Grease which is collected as per clients instructions.
- 3 Samples collected as per FS procedures SAWI 070.
- 4 Results reported as received from WNSW.

ANALYTICAL RESULTS

Client Sample ID	234255	234256	234257	234258	234259	234260	234261	234269
Sampled Date	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM
Sample Number	L23044625	L23044626	L23044627	L23044628	L23044629	L23044630	L23044631	L23044632

ALGAL

MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes

Blue Green ASU	ASU/mL	-	-	-	-	-	-	-	2315
Blue Green Biovol	mm3/L	-	-	-	-	-	-	-	0.646
Potentially Toxic Blue Green	cells/mL	-	-	-	-	-	-	-	0
Potentially Toxic Blue Green ASU	ASU/mL	-	-	-	-	-	-	-	0.00
Potentially Toxic Blue Green Biovol	mm3/L	-	-	-	-	-	-	-	0.000
Total Blue Green	cells/mL	-	-	-	-	-	-	-	1224000

MA91 : Individual Species Total Count, Total BioVol, Total ASU

Algae Source*	N/A	-	-	-	-	-	-	-	EXTERNAL
Date of Performance	DD/MM/YY								16/06/23 00:00

ORGANICS

TC0049DW : Algal Toxins

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	234255	234256	234257	234258	234259	234260	234261	234269
Sampled Date	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM
Sample Number	L23044625	L23044626	L23044627	L23044628	L23044629	L23044630	L23044631	L23044632

ORGANICS

TC0049DW : Algal Toxins(Continued)

Anatoxin-a(extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-
Anatoxin-a(intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-
Anatoxin-a(total)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-
Cylindrospermopsin (extra cellular)	ug/L	<0.05	0.06	0.46	<0.05	1.5	0.65	<0.05	-
Cylindrospermopsin (intra cellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	0.15	<0.05	-
Cylindrospermopsin(total)	ug/L	<0.05	0.07	0.49	<0.05	1.5	0.80	<0.05	-
Microcystin LR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Microcystin LR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Microcystin LR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Microcystin RR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	234255	234256	234257	234258	234259	234260	234261	234269
Sampled Date	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM
Sample Number	L23044625	L23044626	L23044627	L23044628	L23044629	L23044630	L23044631	L23044632

ORGANICS

TC0049DW : Algal Toxins(Continued)

Microcystin RR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Microcystin RR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Microcystin YR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Microcystin YR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Microcystin YR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Nodularin (extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-
Nodularin (intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-
Nodularin (total)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-
Date of Performance	DD/MM/YY	29/05/23	29/05/23	29/05/23	29/05/23	29/05/23	29/05/23	29/05/23	

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS

C1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	234255	234256	234257	234258	234259	234260	234261	234269
Sampled Date	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM
Sample Number	L23044625	L23044626	L23044627	L23044628	L23044629	L23044630	L23044631	L23044632

ORGANICS

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

C2	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	-
dcGTX2	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
dcGTX3	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	-
dcNeo	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
dcSTX	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
GTX1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
GTX2	ug/L	<1	<1	<1	<1	<1	<1	<1	-
GTX3	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
GTX4	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	-
GTX5	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
GTX6	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	-
Neosaxitoxin	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	-

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	234255	234256	234257	234258	234259	234260	234261	234269
Sampled Date	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM
Sample Number	L23044625	L23044626	L23044627	L23044628	L23044629	L23044630	L23044631	L23044632

ORGANICS

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

Saxitoxin	ug/L	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	-
Date of Performance	DD/MM/YY	01/06/23	01/06/23	01/06/23	01/06/23	01/06/23	01/06/23	01/06/23	

Client Sample ID	234270	234271	234272	234273	234274	234275		
Sampled Date	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM		
Sample Number	L23044633	L23044634	L23044635	L23044636	L23044637	L23044638		

ALGAL

MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes

Blue Green ASU	ASU/mL	2529	1936	668.1	3649	2513	988.6		
Blue Green Biovol	mm3/L	0.944	1.49	0.235	3.74	2.37	0.252		
Potentially Toxic Blue Green	cells/mL	278	2710	555	1080	3310	0		
Potentially Toxic Blue Green ASU	ASU/mL	10.5	102.3	50.7	40.7	149.2	0.00		

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID		234270	234271	234272	234273	234274	234275		
Sampled Date		24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM	24/05/2023 12:00:00 AM		
Sample Number		L23044633	L23044634	L23044635	L23044636	L23044637	L23044638		
ALGAL									
MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes(Continued)									
Potentially Toxic Blue Green Biovol	mm3/L	0.008	0.079	0.089	0.031	0.156	0.000		
Total Blue Green	cells/mL	1254000	474200	325500	1183000	1058000	521400		
MA91 : Individual Species Total Count, Total BioVol, Total ASU									
Algae Source*	N/A	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL		
Date of Performance	DD/MM/YY	13/06/23 00:00	16/06/23 00:00	16/06/23 00:00	13/06/23 00:00	16/06/23 00:00	16/06/23 00:00		

COMMENTS

<u>Sample ID</u>	<u>Comment Level</u>	<u>Method</u>	<u>Test</u>	<u>Comment</u>
L23044632	Method	MA91	-	Debris present in the sample.
L23044633	Method	MA91	-	Debris present in the sample.
L23044634	Method	MA91	-	Debris present in the sample.
L23044635	Method	MA91	-	Debris present in the sample.
L23044636	Method	MA91	-	Debris present in the sample.
L23044637	Method	MA91	-	Debris present in the sample.
L23044638	Method	MA91	-	Debris present in the sample.

* Indicates NATA accreditation does not cover the performance of this service

LABORATORY QC RESULTS

N/A - Not Applicable

PQL - Practical Quantitation Limit

LOQ - Limit of Quantification

RPD - Relative Percent Difference

SPIKE/Positive Control - Addition of a known amount and concentration

Duplicate Precision = Accepted - Result 2 within 95% confidence limits of result 1

Duplicate Precision = Outlier - Result 2 outside 95% confidence limits of result 1

Duplicate Precision = Not calculated - Result is outside test range

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Anatoxin-a(extracellular)						
<0.1 ug/L	<0.1	110 50.0 - 120.0 ug/L	110 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Anatoxin-a(intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Anatoxin-a(total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Cyindrospermopsin (extracellular)						
<0.05 ug/L	<0.05	92 50.0 - 120.0 ug/L	93 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Cyindrospermopsin (intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Cyindrospermopsin(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin LR(extracellular)						
<0.05 ug/L	<0.05	71 50.0 - 120.0 ug/L	66 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin LR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin LR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(extracellular)						
<0.05 ug/L	<0.05	82 50.0 - 120.0 ug/L	65 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin YR(extracellular)						
<0.05 ug/L	<0.05	84 50.0 - 120.0 ug/L	73 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin YR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin YR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Nodularin (extracellular)						
<0.1 ug/L	<0.1	79 50.0 - 120.0 ug/L	79 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0061DW C1						
<0.5 ug/L	<0.5	95 70.0 - 130.0 ug/L	84 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %
TC0061DW C2						
<0.3 ug/L	<0.3	110 70.0 - 130.0 ug/L	78 % Recovery 50.0 - 130.0 % Recovery	<0.3	<0.3	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW dcGTX2						
<0.5 ug/L	<0.5	110 <i>70.0 - 130.0 ug/L</i>	80 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW dcGTX3						
<0.3 ug/L	<0.3	120 <i>70.0 - 130.0 ug/L</i>	100 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW dcNeo						
<0.5 ug/L	<0.5	100 <i>70.0 - 130.0 ug/L</i>	65 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW dcSTX						
<0.5 ug/L	<0.5	100 <i>70.0 - 130.0 ug/L</i>	67 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX1						
<0.5 ug/L	<0.5	97 <i>70.0 - 130.0 ug/L</i>	67 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX2						
<1 ug/L	<1	110 <i>70.0 - 130.0 ug/L</i>	66 % Recovery <i>50.0 - 130.0 % Recovery</i>	<1	<1	B <i>0.0 - 0.0 %</i>
TC0061DW GTX3						
<0.5 ug/L	<0.5	110 <i>70.0 - 130.0 ug/L</i>	70 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW GTX4						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	71 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW GTX5						
<0.5 ug/L	<0.5	89 <i>70.0 - 130.0 ug/L</i>	80 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX6						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	83 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Neosaxitoxin						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	62 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Saxitoxin						
<0.4 ug/L	<0.4	110 <i>70.0 - 130.0 ug/L</i>	65 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.4	<0.4	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

Extra Note:

F: Blank is not applicable for this analyte

E: Spike is not applicable for this analyte

DUPLICATE Anatoxin-a(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cylindrospermopsin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cylindrospermopsin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cylindrospermopsin(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcNeo B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcSTX B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX4 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX5 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX6 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Neosaxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Saxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

* Indicates NATA accreditation does not cover the performance of this service

* Indicates NATA accreditation does not cover the performance of this service