



Corporate Accreditation No 63  
Accredited for compliance with ISO/IEC 17025 - Testing



## Analytical Report 286496

Issue Date: 20/06/2023  
Issued By : Sydney Water Laboratory Services

Delivery Address: Sydney Water Corporation  
[Redacted]  
West Ryde NSW 2114

Telephone: [Redacted]  
Email: [Redacted]

Attention: [Redacted]  
Customer: Department of Planning and Environment  
Customer ID: ZOEH\_1

Address: [Redacted]  
Telephone: [Redacted]  
Email: [Redacted]

### CONTENTS

- 1. Sydney Water Approved Signatory
- 2. Sample Summary
- 3. Analytical results
- 4. Comments
- 5. Laboratory QC results

### Sydney Water Approved Signatory

[Redacted], Phycology Analyst	[Redacted], Phycology Analyst	[Redacted], Phycology Analyst
[Redacted], Organics Analyst		

Where a result is required to meet a compliance limit or specification the associated uncertainty must be considered. Uncertainty estimates are available for all accredited test results.

**SAMPLE SUMMARY**

<u>Client Sample ID</u>	<u>Sample Number</u>	<u>Sampling Procedure</u>	<u>Date Sampled</u>	<u>Date Received</u>	<u>Date Authorised</u>	<u>Description</u>
234364	L23046319	1	30/05/2023	01/06/2023	07/06/2023	B1 (ENVIRONMENTAL WATER)
234365	L23046320	1	30/05/2023	01/06/2023	07/06/2023	B2 (ENVIRONMENTAL WATER)
234366	L23046321	1	30/05/2023	01/06/2023	07/06/2023	E1 (ENVIRONMENTAL WATER)
234367	L23046322	1	30/05/2023	01/06/2023	07/06/2023	E2 (ENVIRONMENTAL WATER)
234368	L23046323	1	30/05/2023	01/06/2023	07/06/2023	E3 (ENVIRONMENTAL WATER)
234369	L23046324	1	30/05/2023	01/06/2023	07/06/2023	E4 (ENVIRONMENTAL WATER)
234370	L23046325	1	30/05/2023	01/06/2023	07/06/2023	B3 (ENVIRONMENTAL WATER)
234371	L23046326	1	30/05/2023	01/06/2023	07/06/2023	E5 (ENVIRONMENTAL WATER)
234388	L23046327	1	30/05/2023	01/06/2023	19/06/2023	B1 (ENVIRONMENTAL WATER)
234389	L23046328	1	30/05/2023	01/06/2023	19/06/2023	B2 (ENVIRONMENTAL WATER)
234390	L23046329	1	30/05/2023	01/06/2023	19/06/2023	E1 (ENVIRONMENTAL WATER)
234391	L23046330	1	30/05/2023	01/06/2023	19/06/2023	E2 (ENVIRONMENTAL WATER)
234392	L23046331	1	30/05/2023	01/06/2023	19/06/2023	E3 (ENVIRONMENTAL WATER)
234393	L23046332	1	30/05/2023	01/06/2023	19/06/2023	E4 (ENVIRONMENTAL WATER)
234394	L23046333	1	30/05/2023	01/06/2023	19/06/2023	B3 (ENVIRONMENTAL WATER)
234395	L23046334	1	30/05/2023	01/06/2023	19/06/2023	E5 (ENVIRONMENTAL WATER)

**Sampling procedures**

- 1 Samples analysed as received.
- 2 Samples collected as per FS procedures SAWI 070, Excluding Oil & Grease which is collected as per clients instructions.
- 3 Samples collected as per FS procedures SAWI 070.
- 4 Results reported as received from WNSW.

**ANALYTICAL RESULTS**

<b>Client Sample ID</b>	234364	234365	234366	234367	234368	234369	234370	234371
<b>Sampled Date</b>	30/05/2023 10:00:00 AM	30/05/2023 11:16:00 AM	30/05/2023 11:51:00 AM	30/05/2023 12:32:00 PM	30/05/2023 01:23:00 PM	30/05/2023 01:55:00 PM	30/05/2023 02:16:00 PM	30/05/2023 02:47:00 PM
<b>Sample Number</b>	L23046319	L23046320	L23046321	L23046322	L23046323	L23046324	L23046325	L23046326

**ORGANICS**

TC0049DW : Algal Toxins

Anatoxin-a(extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Anatoxin-a(intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Anatoxin-a(total)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cylindrospermopsin (extra cellular)	ug/L	0.06	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Cylindrospermopsin (intra cellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Cylindrospermopsin(total)	ug/L	0.06	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin LR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin LR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin LR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin RR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05

<b>Client Sample ID</b>		234364	234365	234366	234367	234368	234369	234370	234371
<b>Sampled Date</b>		30/05/2023 10:00:00 AM	30/05/2023 11:16:00 AM	30/05/2023 11:51:00 AM	30/05/2023 12:32:00 PM	30/05/2023 01:23:00 PM	30/05/2023 01:55:00 PM	30/05/2023 02:16:00 PM	30/05/2023 02:47:00 PM
<b>Sample Number</b>		L23046319	L23046320	L23046321	L23046322	L23046323	L23046324	L23046325	L23046326
<b>ORGANICS</b>									
TC0049DW : Algal Toxins(Continued)									
Microcystin RR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin RR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin YR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin YR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin YR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Nodularin (extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Nodularin (intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Nodularin (total)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Date of Performance	DD/MM/YY	02/06/23	02/06/23	02/06/23	02/06/23	02/06/23	02/06/23	02/06/23	02/06/23
TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS									
C1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

<b>Client Sample ID</b>	234364	234365	234366	234367	234368	234369	234370	234371
<b>Sampled Date</b>	30/05/2023 10:00:00 AM	30/05/2023 11:16:00 AM	30/05/2023 11:51:00 AM	30/05/2023 12:32:00 PM	30/05/2023 01:23:00 PM	30/05/2023 01:55:00 PM	30/05/2023 02:16:00 PM	30/05/2023 02:47:00 PM
<b>Sample Number</b>	L23046319	L23046320	L23046321	L23046322	L23046323	L23046324	L23046325	L23046326

**ORGANICS**

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

C2	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
dcGTX2	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
dcGTX3	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
dcNeo	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
dcSTX	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
GTX1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
GTX2	ug/L	<1	<1	<1	<1	<1	<1	<1	<1
GTX3	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
GTX4	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
GTX5	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
GTX6	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
Neosaxitoxin	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3

<b>Client Sample ID</b>	234364	234365	234366	234367	234368	234369	234370	234371
<b>Sampled Date</b>	30/05/2023 10:00:00 AM	30/05/2023 11:16:00 AM	30/05/2023 11:51:00 AM	30/05/2023 12:32:00 PM	30/05/2023 01:23:00 PM	30/05/2023 01:55:00 PM	30/05/2023 02:16:00 PM	30/05/2023 02:47:00 PM
<b>Sample Number</b>	L23046319	L23046320	L23046321	L23046322	L23046323	L23046324	L23046325	L23046326

**ORGANICS**

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

Saxitoxin	ug/L	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4
Date of Performance	DD/MM/YY	06/06/23	06/06/23	06/06/23	06/06/23	06/06/23	06/06/23	06/06/23	06/06/23

<b>Client Sample ID</b>	234388	234389	234390	234391	234392	234393	234394	234395
<b>Sampled Date</b>	30/05/2023 10:40:00 AM	30/05/2023 11:16:00 AM	30/05/2023 11:51:00 AM	30/05/2023 12:32:00 PM	30/05/2023 01:23:00 PM	30/05/2023 01:55:00 PM	30/05/2023 02:16:00 PM	30/05/2023 02:47:00 PM
<b>Sample Number</b>	L23046327	L23046328	L23046329	L23046330	L23046331	L23046332	L23046333	L23046334

**ALGAL**

MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes

Blue Green ASU	ASU/mL	749.9	3416	6383	453.5	2468	3639	757.2	1952
Blue Green Biovol	mm3/L	0.774	0.847	1.61	0.136	0.754	0.864	0.276	0.584
Potentially Toxic Blue Green	cells/mL	3510	830	208	104	0	0	0	0
Potentially Toxic Blue Green ASU	ASU/mL	177.3	23.3	14.4	7.17	0.00	0.00	0.00	0.00

<b>Client Sample ID</b>		234388	234389	234390	234391	234392	234393	234394	234395
<b>Sampled Date</b>		30/05/2023 10:40:00 AM	30/05/2023 11:16:00 AM	30/05/2023 11:51:00 AM	30/05/2023 12:32:00 PM	30/05/2023 01:23:00 PM	30/05/2023 01:55:00 PM	30/05/2023 02:16:00 PM	30/05/2023 02:47:00 PM
<b>Sample Number</b>		L23046327	L23046328	L23046329	L23046330	L23046331	L23046332	L23046333	L23046334
<b>ALGAL</b>									
MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes(Continued)									
Potentially Toxic Blue Green Biovol	mm3/L	0.266	0.023	0.024	0.012	0.000	0.000	0.000	0.000
Total Blue Green	cells/mL	269700	1766000	3322000	234100	1309000	1915000	404100	1034000
MA91 : Individual Species Total Count, Total BioVol, Total ASU									
Algae Source*	N/A	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL
Date of Performance	DD/MM/YY	19/06/23 00:00	19/06/23 00:00	19/06/23 00:00	19/06/23 00:00	19/06/23 00:00	19/06/23 00:00	19/06/23 00:00	19/06/23 00:00

**COMMENTS**

<u>Sample ID</u>	<u>Comment Level</u>	<u>Method</u>	<u>Test</u>	<u>Comment</u>
L23046327	Method	MA91	-	Debris present in the sample.
L23046328	Method	MA91	-	Debris present in the sample.
L23046329	Method	MA91	-	Debris present in the sample.
L23046330	Method	MA91	-	Debris present in the sample.
L23046331	Method	MA91	-	Debris present in the sample.
L23046332	Method	MA91	-	Debris present in the sample.
L23046333	Method	MA91	-	Debris present in the sample.
L23046334	Method	MA91	-	Debris present in the sample.

\* Indicates NATA accreditation does not cover the performance of this service

**LABORATORY QC RESULTS**

N/A - Not Applicable

PQL - Practical Quantitation Limit

LOQ - Limit of Quantification

RPD - Relative Percent Difference

SPIKE/Positive Control - Addition of a known amount and concentration

Duplicate Precision = Accepted - Result 2 within 95% confidence limits of result 1

Duplicate Precision = Outlier - Result 2 outside 95% confidence limits of result 1

Duplicate Precision = Not calculated - Result is outside test range

---

\* Indicates NATA accreditation does not cover the performance of this service



LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
<b>TC0049DW Anatoxin-a(extracellular)</b>						
<0.1 ug/L	<0.1	<b>99</b> 50.0 - 120.0 ug/L	<b>80 % Recovery</b> 50.0 - 130.0 % Recovery	<0.1	<0.1	<b>B</b> 0.0 - 0.0 %
<b>TC0049DW Anatoxin-a(intracellular)</b>						
<0.1 ug/L	F		E	<0.1	<0.1	<b>B</b> 0.0 - 0.0 %
<b>TC0049DW Anatoxin-a(total)</b>						
<0.1 ug/L	F		E	<0.1	<0.1	<b>B</b> 0.0 - 0.0 %
<b>TC0049DW Cyindrospermopsin (extracellular)</b>						
<0.05 ug/L	<0.05	<b>98</b> 50.0 - 120.0 ug/L	<b>77 % Recovery</b> 50.0 - 130.0 % Recovery	0.06	0.06	<b>B</b> 0.0 - 0.0 %
<b>TC0049DW Cyindrospermopsin (intracellular)</b>						
<0.05 ug/L	F		E	<0.05	<0.05	<b>B</b> 0.0 - 0.0 %
<b>TC0049DW Cyindrospermopsin(total)</b>						
<0.05 ug/L	F		E	0.06	0.08	<b>B</b> 0.0 - 0.0 %

\* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
<b>TC0049DW Microcystin LR(extracellular)</b>						
<0.05 ug/L	<0.05	77 50.0 - 120.0 ug/L	72 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
<b>TC0049DW Microcystin LR(intracellular)</b>						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
<b>TC0049DW Microcystin LR(total)</b>						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
<b>TC0049DW Microcystin RR(extracellular)</b>						
<0.05 ug/L	<0.05	88 50.0 - 120.0 ug/L	82 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
<b>TC0049DW Microcystin RR(intracellular)</b>						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
<b>TC0049DW Microcystin RR(total)</b>						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
<b>TC0049DW Microcystin YR(extracellular)</b>						
<0.05 ug/L	<0.05	88 50.0 - 120.0 ug/L	86 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %

\* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
<b>TC0049DW Microcystin YR(intracellular)</b>						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
<b>TC0049DW Microcystin YR(total)</b>						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
<b>TC0049DW Nodularin (extracellular)</b>						
<0.1 ug/L	<0.1	79 50.0 - 120.0 ug/L	75 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
<b>TC0049DW Nodularin (intracellular)</b>						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
<b>TC0049DW Nodularin (total)</b>						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
<b>TC0061DW C1</b>						
<0.5 ug/L	<0.5	100 70.0 - 130.0 ug/L	78 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %
<b>TC0061DW C2</b>						
<0.3 ug/L	<0.3	100 70.0 - 130.0 ug/L	83 % Recovery 50.0 - 130.0 % Recovery	<0.3	<0.3	B 0.0 - 0.0 %

\* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
<b>TC0061DW dcGTX2</b>						
<0.5 ug/L	<0.5	<b>110</b> <i>70.0 - 130.0 ug/L</i>	<b>78 % Recovery</b> <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	<b>B</b> <i>0.0 - 0.0 %</i>
<b>TC0061DW dcGTX3</b>						
<0.3 ug/L	<0.3	<b>95</b> <i>70.0 - 130.0 ug/L</i>	<b>61 % Recovery</b> <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	<b>B</b> <i>0.0 - 0.0 %</i>
<b>TC0061DW dcNeo</b>						
<0.5 ug/L	<0.5	<b>100</b> <i>70.0 - 130.0 ug/L</i>	<b>63 % Recovery</b> <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	<b>B</b> <i>0.0 - 0.0 %</i>
<b>TC0061DW dcSTX</b>						
<0.5 ug/L	<0.5	<b>110</b> <i>70.0 - 130.0 ug/L</i>	<b>78 % Recovery</b> <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	<b>B</b> <i>0.0 - 0.0 %</i>
<b>TC0061DW GTX1</b>						
<0.5 ug/L	<0.5	<b>120</b> <i>70.0 - 130.0 ug/L</i>	<b>60 % Recovery</b> <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	<b>B</b> <i>0.0 - 0.0 %</i>
<b>TC0061DW GTX2</b>						
<1 ug/L	<1	<b>110</b> <i>70.0 - 130.0 ug/L</i>	<b>64 % Recovery</b> <i>50.0 - 130.0 % Recovery</i>	<1	<1	<b>B</b> <i>0.0 - 0.0 %</i>
<b>TC0061DW GTX3</b>						
<0.5 ug/L	<0.5	<b>120</b> <i>70.0 - 130.0 ug/L</i>	<b>74 % Recovery</b> <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	<b>B</b> <i>0.0 - 0.0 %</i>

\* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
<b>TC0061DW GTX4</b>						
<0.3 ug/L	<0.3	<b>100</b> <i>70.0 - 130.0 ug/L</i>	<b>82 % Recovery</b> <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	<b>B</b> <i>0.0 - 0.0 %</i>
<b>TC0061DW GTX5</b>						
<0.5 ug/L	<0.5	<b>91</b> <i>70.0 - 130.0 ug/L</i>	<b>79 % Recovery</b> <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	<b>B</b> <i>0.0 - 0.0 %</i>
<b>TC0061DW GTX6</b>						
<0.3 ug/L	<0.3	<b>94</b> <i>70.0 - 130.0 ug/L</i>	<b>74 % Recovery</b> <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	<b>B</b> <i>0.0 - 0.0 %</i>
<b>TC0061DW Neosaxitoxin</b>						
<0.3 ug/L	<0.3	<b>99</b> <i>70.0 - 130.0 ug/L</i>	<b>130 % Recovery</b> <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	<b>B</b> <i>0.0 - 0.0 %</i>
<b>TC0061DW Saxitoxin</b>						
<0.4 ug/L	<0.4	<b>110</b> <i>70.0 - 130.0 ug/L</i>	<b>92 % Recovery</b> <i>50.0 - 130.0 % Recovery</i>	<0.4	<0.4	<b>B</b> <i>0.0 - 0.0 %</i>

\* Indicates NATA accreditation does not cover the performance of this service

## Extra Note:

F: Blank is not applicable for this analyte

E: Spike is not applicable for this analyte

DUPLICATE Anatoxin-a(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cyndrospermopsin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cyndrospermopsin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cyndrospermopsin(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcNeo B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcSTX B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX4 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX5 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX6 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Neosaxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Saxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

\* Indicates NATA accreditation does not cover the performance of this service

\* Indicates NATA accreditation does not cover the performance of this service