



Corporate Accreditation No 63
Accredited for compliance with ISO/IEC 17025 - Testing



Analytical Report 290780

Issue Date: 08/09/2023
Issued By : Sydney Water Laboratory Services

Delivery Address: Sydney Water Corporation
51 Hermitage Rd
West Ryde NSW 2114

Telephone: [Redacted]
Email: [Redacted]

Attention: [Redacted]
Customer: Department of Planning and Environment
Customer ID: [Redacted]

Address: Building 1, 480 WEEROONA RD, LIDCOMBE NSW 214
Telephone: [Redacted]
Email: [Redacted]

CONTENTS

- 1. Sydney Water Approved Signatory
- 2. Sample Summary
- 3. Analytical results
- 4. Comments
- 5. Laboratory QC results

Sydney Water Approved Signatory

[Redacted] Phycology Analyst	[Redacted] Phycology Analyst	[Redacted] Phycology Analyst
[Redacted] Organics Analyst	[Redacted] Organics Analyst	

Where a result is required to meet a compliance limit or specification the associated uncertainty must be considered. Uncertainty estimates are available for all accredited test results.

SAMPLE SUMMARY

<u>Client Sample ID</u>	<u>Sample Number</u>	<u>Sampling Procedure</u>	<u>Date Sampled</u>	<u>Date Received</u>	<u>Date Authorised</u>	<u>Description</u>
237819	L23069409	1	23/08/2023	25/08/2023	06/09/2023	E7 TARGETED SAMPLE (WATER SAMPLE)
237820	L23069410	1	23/08/2023	25/08/2023	06/09/2023	B4 (WATER SAMPLE)
237821	L23069411	1	23/08/2023	25/08/2023	06/09/2023	E6 (WATER SAMPLE)
237822	L23069412	1	23/08/2023	25/08/2023	06/09/2023	E6.5 (WATER SAMPLE)
237823	L23069413	1	23/08/2023	25/08/2023	06/09/2023	E7 (WATER SAMPLE)
237824	L23069414	1	23/08/2023	25/08/2023	06/09/2023	E8 (WATER SAMPLE)
237825	L23069415	1	23/08/2023	25/08/2023	06/09/2023	E9 (WATER SAMPLE)
237826	L23069416	1	23/08/2023	25/08/2023	06/09/2023	E10 (WATER SAMPLE)
237827	L23069417	1	23/08/2023	25/08/2023	05/09/2023	B4 (WATER SAMPLE)
237828	L23069418	1	23/08/2023	25/08/2023	06/09/2023	E6 (WATER SAMPLE)
237829	L23069419	1	23/08/2023	25/08/2023	06/09/2023	E6.5 (WATER SAMPLE)
237830	L23069420	1	23/08/2023	25/08/2023	06/09/2023	E7 (WATER SAMPLE)
237831	L23069421	1	23/08/2023	25/08/2023	07/09/2023	E8 (WATER SAMPLE)
237832	L23069422	1	23/08/2023	25/08/2023	06/09/2023	E9 (WATER SAMPLE)
237833	L23069423	1	23/08/2023	25/08/2023	01/09/2023	E10 (WATER SAMPLE)
237834	L23069424	1	23/08/2023	25/08/2023	05/09/2023	E7 TARGETED SAMPLE (WATER SAMPLE)

Sampling procedures

- 1 Samples analysed as received.
- 2 Samples collected as per FS procedures SAWI 070, Excluding Oil & Grease which is collected as per clients instructions.
- 3 Samples collected as per FS procedures SAWI 070.
- 4 Results reported as received from WNSW.

ANALYTICAL RESULTS

Client Sample ID		237819	237820	237821	237822	237823	237824	237825	237826
Sampled Date		23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM
Sample Number		L23069409	L23069410	L23069411	L23069412	L23069413	L23069414	L23069415	L23069416
ORGANICS									
TC0049DW : Algal Toxins									
Cylindrospermopsin (extra cellular)	ug/L	0.67	<0.05	0.20	0.21	0.69	<0.05	<0.05	<0.05
Cylindrospermopsin (intra cellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Anatoxin-a(extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Anatoxin-a(intracellular)	ug/L	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1
Nodularin (extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Nodularin (intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Microcystin RR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin YR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin LR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05

Client Sample ID	237819	237820	237821	237822	237823	237824	237825	237826
Sampled Date	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM
Sample Number	L23069409	L23069410	L23069411	L23069412	L23069413	L23069414	L23069415	L23069416

ORGANICS

TC0049DW : Algal Toxins(Continued)

Microcystin LR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin YR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin RR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Anatoxin-a(total)	ug/L	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1
Cylindrospermopsin(total)	ug/L	0.71	<0.05	0.23	0.21	0.69	<0.05	<0.05	<0.05
Microcystin LR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin RR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin YR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Nodularin (total)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Date of Performance	DD/MM/YY	28/08/23	28/08/23	28/08/23	28/08/23	28/08/23	28/08/23	28/08/23	28/08/23

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS

Client Sample ID	237819	237820	237821	237822	237823	237824	237825	237826
Sampled Date	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM
Sample Number	L23069409	L23069410	L23069411	L23069412	L23069413	L23069414	L23069415	L23069416

ORGANICS

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

Saxitoxin	ug/L	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4
Neosaxitoxin	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
dcSTX	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C2	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
GTX4	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
GTX3	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
GTX5	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
dcNeo	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
dcGTX3	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
GTX6	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
GTX2	ug/L	<1	<1	<1	<1	<1	<1	<1	<1
GTX1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Client Sample ID	237819	237820	237821	237822	237823	237824	237825	237826
Sampled Date	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM
Sample Number	L23069409	L23069410	L23069411	L23069412	L23069413	L23069414	L23069415	L23069416

ORGANICS

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

C1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
dcGTX2	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Date of Performance	DD/MM/YY	04/09/23	04/09/23	04/09/23	04/09/23	04/09/23	04/09/23	04/09/23	04/09/23

Client Sample ID	237827	237828	237829	237830	237831	237832	237833	237834
Sampled Date	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM
Sample Number	L23069417	L23069418	L23069419	L23069420	L23069421	L23069422	L23069423	L23069424

ALGAL

MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes

Blue Green ASU	ASU/mL	3803	66.9	14910	5696	469.7	751.3	2785	10110
Blue Green Biovol	mm3/L	7.04	0.103	24.57	6.76	0.151	0.412	2.19	14.06
Potentially Toxic Blue Green	cells/mL	40090	0	104800	10020	260	451	88140	36560

Client Sample ID		237827	237828	237829	237830	237831	237832	237833	237834
Sampled Date		23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM	23/08/2023 12:00:00 AM
Sample Number		L23069417	L23069418	L23069419	L23069420	L23069421	L23069422	L23069423	L23069424
ALGAL									
MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes(Continued)									
Potentially Toxic Blue Green ASU	ASU/mL	3483	0.00	9107	824.3	7.3	30.2	1481	3341
Potentially Toxic Blue Green Biovol	mm3/L	6.97	0.000	18.15	1.6	0.007	0.046	1.8	5.93
Total Blue Green	cells/mL	208100	10780	844200	611400	236900	360100	730200	811900
MA91 : Individual Species Total Count, Total BioVol, Total ASU									
Algae Source*	N/A	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL
Date of Performance	DD/MM/YY	05/09/23 00:00	06/09/23 00:00	06/09/23 00:00	06/09/23 00:00	06/09/23 00:00	06/09/23 00:00	01/09/23 00:00	05/09/23 00:00

COMMENTS

<u>Sample ID</u>	<u>Comment Level</u>	<u>Method</u>	<u>Test</u>	<u>Comment</u>
L23069417	Method	MA91	-	Debris present in the sample.
L23069418	Method	MA91	-	Debris and cells resembling bacteria present in the sample.
L23069419	Method	MA91	-	Debris and cells resembling bacteria present in the sample.
L23069420	Method	MA91	-	Debris present in the sample.Sample contained cells resembling Bacteria.
L23069421	Method	MA91	-	Debris and mucilaginous material present in the sample.
L23069422	Method	MA91	-	Debris and cells resembling bacteria present in the sample.
L23069423	Method	MA91	-	Debris present in the sample.

* Indicates NATA accreditation does not cover the performance of this service

L23069424	Method	MA91	-	Debris present in the sample.
-----------	--------	------	---	-------------------------------

* Indicates NATA accreditation does not cover the performance of this service

LABORATORY QC RESULTS

N/A - Not Applicable

PQL - Practical Quantitation Limit

LOQ - Limit of Quantification

RPD - Relative Percent Difference

SPIKE/Positive Control - Addition of a known amount and concentration

Duplicate Precision = Accepted - Result 2 within 95% confidence limits of result 1

Duplicate Precision = Outlier - Result 2 outside 95% confidence limits of result 1

Duplicate Precision = Not calculated - Result is outside test range

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Anatoxin-a(extracellular)						
<0.1 ug/L	<0.1	82 50.0 - 120.0 ug/L	58 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Anatoxin-a(intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Anatoxin-a(total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Cylindrospermopsin (extracellular)						
<0.05 ug/L	<0.05	85 50.0 - 120.0 ug/L	74 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Cylindrospermopsin (intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Cylindrospermopsin(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin LR(extracellular)						
<0.05 ug/L	<0.05	72 <i>50.0 - 120.0 ug/L</i>	51 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DW Microcystin LR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DW Microcystin LR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DW Microcystin RR(extracellular)						
<0.05 ug/L	<0.05	85 <i>50.0 - 120.0 ug/L</i>	46 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DW Microcystin RR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DW Microcystin RR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DW Microcystin YR(extracellular)						
<0.05 ug/L	<0.05	85 <i>50.0 - 120.0 ug/L</i>	55 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.05	<0.05	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin YR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin YR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Nodularin (extracellular)						
<0.1 ug/L	<0.1	81 50.0 - 120.0 ug/L	59 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0061DW C1						
<0.5 ug/L	<0.5	73 70.0 - 130.0 ug/L	100 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %
TC0061DW C2						
<0.3 ug/L	<0.3	110 70.0 - 130.0 ug/L	130 % Recovery 50.0 - 130.0 % Recovery	<0.3	<0.3	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW dcGTX2						
<0.5 ug/L	<0.5	76 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW dcGTX3						
<0.3 ug/L	<0.3	93 <i>70.0 - 130.0 ug/L</i>	110 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW dcNeo						
<0.5 ug/L	<0.5	130 <i>70.0 - 130.0 ug/L</i>	130 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW dcSTX						
<0.5 ug/L	<0.5	72 <i>70.0 - 130.0 ug/L</i>	100 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX1						
<0.5 ug/L	<0.5	82 <i>70.0 - 130.0 ug/L</i>	130 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX2						
<1 ug/L	<1	76 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<1	<1	B <i>0.0 - 0.0 %</i>
TC0061DW GTX3						
<0.5 ug/L	<0.5	120 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW GTX4						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW GTX5						
<0.5 ug/L	<0.5	91 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX6						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	130 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Neosaxitoxin						
<0.3 ug/L	<0.3	100 <i>70.0 - 130.0 ug/L</i>	130 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Saxitoxin						
<0.4 ug/L	<0.4	82 <i>70.0 - 130.0 ug/L</i>	110 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.4	<0.4	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

Extra Note:

F: Blank is not applicable for this analyte

E: Spike is not applicable for this analyte

DUPLICATE Anatoxin-a(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cylindrospermopsin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cylindrospermopsin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cylindrospermopsin(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

SPIKE Microcystin RR(extracellular) Spiking level less than 40 % of sample concentration

DUPLICATE Microcystin RR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcNeo B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcSTX B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX4 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX5 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX6 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Neosaxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

* Indicates NATA accreditation does not cover the performance of this service

DUPLICATE Saxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

* Indicates NATA accreditation does not cover the performance of this service