



Corporate Accreditation No 63
Accredited for compliance with ISO/IEC 17025 - Testing



Final Report 285312

Issue Date: 29/05/2023
Issued By : [REDACTED], Commercial Client Representative

Supersedes Report No.: 285179

Attention: [REDACTED]
Customer: Department of Planning and Environment
Customer ID: ZOEH_1

Delivery Address: Sydney Water Corporation
[REDACTED]
West Ryde NSW 2114

Telephone: [REDACTED]
Email: [REDACTED]

Address: [REDACTED]
Telephone: [REDACTED]
Email: [REDACTED]

CONTENTS

- 1. Sydney Water Approved Signatory
- 2. Sample Summary
- 3. Analytical results
- 4. Comments
- 5. Laboratory QC results

Sydney Water Approved Signatory

[REDACTED], Phycology Analyst	[REDACTED], Phycology Supervisor	[REDACTED], Phycology Analyst
[REDACTED], Organics Analyst	[REDACTED], Organics Senior Analyst	

Where a result is required to meet a compliance limit or specification the associated uncertainty must be considered. Uncertainty estimates are available for all accredited test results.

SAMPLE SUMMARY

<u>Client Sample ID</u>	<u>Sample Number</u>	<u>Sampling Procedure</u>	<u>Date Sampled</u>	<u>Date Received</u>	<u>Date Authorised</u>	<u>Description</u>
232937	L23038403	1	04/05/2023	08/05/2023	24/05/2023	E6 (WATER SAMPLE)
232938	L23038404	1	04/05/2023	08/05/2023	24/05/2023	E6.5 (WATER SAMPLE)
232939	L23038405	1	04/05/2023	08/05/2023	24/05/2023	E7 (WATER SAMPLE)
232940	L23038406	1	04/05/2023	08/05/2023	25/05/2023	E8 (WATER SAMPLE)
232941	L23038407	1	04/05/2023	08/05/2023	25/05/2023	E9 (WATER SAMPLE)
232942	L23038408	1	04/05/2023	08/05/2023	25/05/2023	E10 (WATER SAMPLE)
232946	L23038412	1	04/05/2023	08/05/2023	25/05/2023	B4 (WATER SAMPLE)
232952	L23038418	1	04/05/2023	08/05/2023	29/05/2023	E6 (WATER SAMPLE)
232953	L23038419	1	04/05/2023	08/05/2023	29/05/2023	E6.5 (WATER SAMPLE)
232954	L23038420	1	04/05/2023	08/05/2023	29/05/2023	E7 (WATER SAMPLE)
232955	L23038421	1	04/05/2023	08/05/2023	29/05/2023	E8 (WATER SAMPLE)
232956	L23038422	1	04/05/2023	08/05/2023	29/05/2023	E9 (WATER SAMPLE)
232957	L23038423	1	04/05/2023	08/05/2023	29/05/2023	E10 (WATER SAMPLE)
232961	L23038427	1	04/05/2023	08/05/2023	29/05/2023	B4 (WATER SAMPLE)

Sampling procedures

- 1 Samples analysed as received.
- 2 Samples collected as per FS procedures SAWI 070, Excluding Oil & Grease which is collected as per clients instructions.
- 3 Samples collected as per FS procedures SAWI 070.
- 4 Results reported as received from WNSW.

ANALYTICAL RESULTS

Client Sample ID	232937	232938	232939	232940	232941	232942	232946	232952
Sampled Date	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM
Sample Number	L23038403	L23038404	L23038405	L23038406	L23038407	L23038408	L23038412	L23038418

ALGAL

MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes

Blue Green ASU	ASU/mL	6305	3718	7303	1958	4685	5187	1647	-
Blue Green Biovol	mm3/L	11.08	2.27	3.52	2.61	1.73	8.2	0.467	-
Potentially Toxic Blue Green	cells/mL	15300	0	191	260	2550	16150	0	-
Potentially Toxic Blue Green ASU	ASU/mL	620.7	0.00	13.2	17.4	109.5	610.5	0.00	-
Potentially Toxic Blue Green Biovol	mm3/L	0.606	0.000	0.022	0.027	0.111	0.473	0.000	-
Total Blue Green	cells/mL	1583000	1867000	3691000	900400	2149000	962700	862900	-

MA91 : Individual Species Total Count, Total BioVol, Total ASU

Algae Source*	N/A	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	-
Date of Performance	DD/MM/YY	24/05/23 00:00	24/05/23 00:00	24/05/23 00:00	25/05/23 00:00	25/05/23 00:00	25/05/23 00:00	25/05/23 00:00	-

ORGANICS

TC0049DW : Algal Toxins

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	232937	232938	232939	232940	232941	232942	232946	232952
Sampled Date	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM
Sample Number	L23038403	L23038404	L23038405	L23038406	L23038407	L23038408	L23038412	L23038418

ORGANICS

TC0049DW : Algal Toxins(Continued)

Anatoxin-a(extracellular)	ug/L	-	-	-	-	-	-	-	<0.1
Anatoxin-a(intracellular)	ug/L	-	-	-	-	-	-	-	<0.1
Anatoxin-a(total)	ug/L	-	-	-	-	-	-	-	<0.1
Cylindrospermopsin (extra cellular)	ug/L	-	-	-	-	-	-	-	0.44
Cylindrospermopsin (intra cellular)	ug/L	-	-	-	-	-	-	-	0.08
Cylindrospermopsin(total)	ug/L	-	-	-	-	-	-	-	0.52
Microcystin LR(extracellular)	ug/L	-	-	-	-	-	-	-	<0.05
Microcystin LR(intracellular)	ug/L	-	-	-	-	-	-	-	<0.05
Microcystin LR(total)	ug/L	-	-	-	-	-	-	-	<0.05
Microcystin RR(extracellular)	ug/L	-	-	-	-	-	-	-	<0.05

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	232937	232938	232939	232940	232941	232942	232946	232952
Sampled Date	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM
Sample Number	L23038403	L23038404	L23038405	L23038406	L23038407	L23038408	L23038412	L23038418

ORGANICS

TC0049DW : Algal Toxins(Continued)

Microcystin RR(intracellular)	ug/L	-	-	-	-	-	-	-	<0.05
Microcystin RR(total)	ug/L	-	-	-	-	-	-	-	<0.05
Microcystin YR(extracellular)	ug/L	-	-	-	-	-	-	-	<0.05
Microcystin YR(intracellular)	ug/L	-	-	-	-	-	-	-	<0.05
Microcystin YR(total)	ug/L	-	-	-	-	-	-	-	<0.05
Nodularin (extracellular)	ug/L	-	-	-	-	-	-	-	<0.1
Nodularin (intracellular)	ug/L	-	-	-	-	-	-	-	<0.1
Nodularin (total)	ug/L	-	-	-	-	-	-	-	<0.1
Date of Performance	DD/MM/YY								09/05/23

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS

C1	ug/L	-	-	-	-	-	-	-	<0.5
----	------	---	---	---	---	---	---	---	------

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	232937	232938	232939	232940	232941	232942	232946	232952
Sampled Date	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM
Sample Number	L23038403	L23038404	L23038405	L23038406	L23038407	L23038408	L23038412	L23038418

ORGANICS

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

C2	ug/L	-	-	-	-	-	-	-	<0.3
dcGTX2	ug/L	-	-	-	-	-	-	-	<0.5
dcGTX3	ug/L	-	-	-	-	-	-	-	<0.3
dcNeo	ug/L	-	-	-	-	-	-	-	<0.5
dcSTX	ug/L	-	-	-	-	-	-	-	<0.5
GTX1	ug/L	-	-	-	-	-	-	-	<0.5
GTX2	ug/L	-	-	-	-	-	-	-	<1
GTX3	ug/L	-	-	-	-	-	-	-	<0.5
GTX4	ug/L	-	-	-	-	-	-	-	<0.3
GTX5	ug/L	-	-	-	-	-	-	-	<0.5
GTX6	ug/L	-	-	-	-	-	-	-	<0.3
Neosaxitoxin	ug/L	-	-	-	-	-	-	-	<0.3

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	232937	232938	232939	232940	232941	232942	232946	232952
Sampled Date	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM
Sample Number	L23038403	L23038404	L23038405	L23038406	L23038407	L23038408	L23038412	L23038418

ORGANICS

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

Saxitoxin	ug/L	-	-	-	-	-	-	<0.4
Date of Performance	DD/MM/YY							25/05/23

Client Sample ID	232953	232954	232955	232956	232957	232961		
Sampled Date	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM		
Sample Number	L23038419	L23038420	L23038421	L23038422	L23038423	L23038427		

ORGANICS

TC0049DW : Algal Toxins

Anatoxin-a(extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1		
Anatoxin-a(intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1		
Anatoxin-a(total)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1		
Cylindrospermopsin (extra cellular)	ug/L	<0.05	0.50	<0.05	0.32	0.89	<0.05		

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	232953	232954	232955	232956	232957	232961		
Sampled Date	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM		
Sample Number	L23038419	L23038420	L23038421	L23038422	L23038423	L23038427		

ORGANICS

TC0049DW : Algal Toxins(Continued)

Cylindrospermopsin (intra cellular)	ug/L	<0.05	<0.05	0.06	<0.05	0.31	<0.05		
Cylindrospermopsin(total)	ug/L	<0.05	0.50	0.06	0.35	1.2	<0.05		
Microcystin LR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		
Microcystin LR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		
Microcystin LR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		
Microcystin RR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		
Microcystin RR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		
Microcystin RR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		
Microcystin YR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		
Microcystin YR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		

* Indicates NATA accreditation does not cover the performance of this service

Client Sample ID	232953	232954	232955	232956	232957	232961		
Sampled Date	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM		
Sample Number	L23038419	L23038420	L23038421	L23038422	L23038423	L23038427		

ORGANICS

TC0049DW : Algal Toxins(Continued)

Microcystin YR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		
Nodularin (extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1		
Nodularin (intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1		
Nodularin (total)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1		
Date of Performance	DD/MM/YY	09/05/23	09/05/23	09/05/23	09/05/23	09/05/23	09/05/23		

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS

C1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
C2	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3		
dcGTX2	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
dcGTX3	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3		
dcNeo	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
dcSTX	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		

* Indicates NATA accreditation does not cover the performance of this service

Client Sample ID		232953	232954	232955	232956	232957	232961		
Sampled Date		04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM	04/05/2023 12:00:00 AM		
Sample Number		L23038419	L23038420	L23038421	L23038422	L23038423	L23038427		
ORGANICS									
TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)									
GTX1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
GTX2	ug/L	<1	<1	<1	<1	<1	<1		
GTX3	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
GTX4	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3		
GTX5	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
GTX6	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3		
Neosaxitoxin	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3		
Saxitoxin	ug/L	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4		
Date of Performance	DD/MM/YY	25/05/23	25/05/23	25/05/23	25/05/23	25/05/23	25/05/23		

COMMENTS

<u>Sample ID</u>	<u>Comment Level</u>	<u>Method</u>	<u>Test</u>	<u>Comment</u>
L23038403	Method	MA91	-	Debris present in the sample.
L23038404	Method	MA91	-	Debris present in the sample.
L23038405	Method	MA91	-	Debris present in the sample.

* Indicates NATA accreditation does not cover the performance of this service

L23038406	Method	MA91	-	Debris present in the sample.
L23038407	Method	MA91	-	Debris present in the sample.
L23038408	Method	MA91	-	Debris present in the sample.
L23038412	Method	MA91	-	Debris present in the sample.

* Indicates NATA accreditation does not cover the performance of this service

LABORATORY QC RESULTS

N/A - Not Applicable

PQL - Practical Quantitation Limit

LOQ - Limit of Quantification

RPD - Relative Percent Difference

SPIKE/Positive Control - Addition of a known amount and concentration

Duplicate Precision = Accepted - Result 2 within 95% confidence limits of result 1

Duplicate Precision = Outlier - Result 2 outside 95% confidence limits of result 1

Duplicate Precision = Not calculated - Result is outside test range

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Anatoxin-a(extracellular)						
<0.1 ug/L	<0.1	93 50.0 - 120.0 ug/L	81 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Anatoxin-a(intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Anatoxin-a(total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Cyindrospermopsin (extracellular)						
<0.05 ug/L	<0.05	84 50.0 - 120.0 ug/L	92 % Recovery 50.0 - 130.0 % Recovery	0.05	0.05	B 0.0 - 0.0 %
TC0049DW Cyindrospermopsin (intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Cyindrospermopsin(total)						
<0.05 ug/L	F		E	0.06	0.05	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin LR(extracellular)						
<0.05 ug/L	<0.05	71 50.0 - 120.0 ug/L	66 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin LR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin LR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(extracellular)						
<0.05 ug/L	<0.05	73 50.0 - 120.0 ug/L	62 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin YR(extracellular)						
<0.05 ug/L	<0.05	83 50.0 - 120.0 ug/L	68 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin YR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin YR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Nodularin (extracellular)						
<0.1 ug/L	<0.1	70 50.0 - 120.0 ug/L	62 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0061DW C1						
<0.5 ug/L	<0.5	110 70.0 - 130.0 ug/L	100 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %
TC0061DW C2						
<0.3 ug/L	<0.3	110 70.0 - 130.0 ug/L	110 % Recovery 50.0 - 130.0 % Recovery	<0.3	<0.3	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW dcGTX2						
<0.5 ug/L	<0.5	99 70.0 - 130.0 ug/L	120 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %
TC0061DW dcGTX3						
<0.3 ug/L	<0.3	98 70.0 - 130.0 ug/L	100 % Recovery 50.0 - 130.0 % Recovery	<0.3	<0.3	B 0.0 - 0.0 %
TC0061DW dcNeo						
<0.5 ug/L	<0.5	110 70.0 - 130.0 ug/L	76 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %
TC0061DW dcSTX						
<0.5 ug/L	<0.5	110 70.0 - 130.0 ug/L	100 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %
TC0061DW GTX1						
<0.5 ug/L	<0.5	110 70.0 - 130.0 ug/L	100 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %
TC0061DW GTX2						
<1 ug/L	<1	110 70.0 - 130.0 ug/L	130 % Recovery 50.0 - 130.0 % Recovery	<1	<1	B 0.0 - 0.0 %
TC0061DW GTX3						
<0.5 ug/L	<0.5	100 70.0 - 130.0 ug/L	110 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW GTX4						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW GTX5						
<0.5 ug/L	<0.5	80 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX6						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Neosaxitoxin						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	97 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Saxitoxin						
<0.4 ug/L	<0.4	110 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.4	<0.4	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

Extra Note:

F: Blank is not applicable for this analyte

E: Spike is not applicable for this analyte

DUPLICATE Anatoxin-a(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cyndrospermopsin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cyndrospermopsin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cyndrospermopsin(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcNeo B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcSTX B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX4 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX5 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX6 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Neosaxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Saxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

* Indicates NATA accreditation does not cover the performance of this service

* Indicates NATA accreditation does not cover the performance of this service