



Corporate Accreditation No 63
Accredited for compliance with ISO/IEC 17025 - Testing



Analytical Report 291999

Issue Date: 04/10/2023
Issued By : Sydney Water Laboratory Services

Delivery Address: Sydney Water Corporation
[Redacted]
[Redacted]
Telephone: [Redacted]
Email: [Redacted]

Attention: [Redacted]
Customer: Department of Planning and Environment
Customer ID: ZOEH_1

Address: [Redacted]
Telephone: [Redacted]
Email: [Redacted]

CONTENTS

- 1. Sydney Water Approved Signatory
- 2. Sample Summary
- 3. Analytical results
- 4. Comments
- 5. Laboratory QC results

Sydney Water Approved Signatory

[Redacted] Phycology Analyst	[Redacted] Phycology Analyst	[Redacted] Organics Analyst
------------------------------	------------------------------	-----------------------------

Where a result is required to meet a compliance limit or specification the associated uncertainty must be considered. Uncertainty estimates are available for all accredited test results.

SAMPLE SUMMARY

<u>Client Sample ID</u>	<u>Sample Number</u>	<u>Sampling Procedure</u>	<u>Date Sampled</u>	<u>Date Received</u>	<u>Date Authorised</u>	<u>Description</u>
238592	L23075541	1	14/09/2023	18/09/2023	03/10/2023	MFK-Z-E11 (ENVIRONMENTAL WATER)
238593	L23075542	1	14/09/2023	18/09/2023	03/10/2023	MFK-Z-E12 (ENVIRONMENTAL WATER)
238594	L23075543	1	14/09/2023	18/09/2023	03/10/2023	MFK-Z-E13 (ENVIRONMENTAL WATER)
238595	L23075544	1	14/09/2023	18/09/2023	03/10/2023	MFK-Z-E14 (ENVIRONMENTAL WATER)
238596	L23075545	1	14/09/2023	18/09/2023	03/10/2023	MFK-Z-E15 (ENVIRONMENTAL WATER)
238597	L23075546	1	14/09/2023	18/09/2023	03/10/2023	MFK-Z-E11 (ENVIRONMENTAL WATER)
238598	L23075547	1	14/09/2023	18/09/2023	03/10/2023	MFK-Z-E12 (ENVIRONMENTAL WATER)
238599	L23075548	1	14/09/2023	18/09/2023	03/10/2023	MFK-Z-E13 (ENVIRONMENTAL WATER)
238600	L23075549	1	14/09/2023	18/09/2023	03/10/2023	MFK-Z-E14 (ENVIRONMENTAL WATER)
238601	L23075550	1	14/09/2023	18/09/2023	03/10/2023	MFK-Z-E15 (ENVIRONMENTAL WATER)

Sampling procedures

- 1 Samples analysed as received.
- 2 Samples collected as per FS procedures SAWI 070, Excluding Oil & Grease which is collected as per clients instructions.
- 3 Samples collected as per FS procedures SAWI 070.
- 4 Results reported as received from WNSW.

ANALYTICAL RESULTS

Client Sample ID	238592	238593	238594	238595	238596	238597	238598	238599
Sampled Date	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM
Sample Number	L23075541	L23075542	L23075543	L23075544	L23075545	L23075546	L23075547	L23075548

ALGAL

MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes

Blue Green ASU	ASU/mL	-	-	-	-	-	6155	11510	3483
Blue Green Biovol	mm3/L	-	-	-	-	-	1.49	3.06	1.67
Potentially Toxic Blue Green	cells/mL	-	-	-	-	-	0	1490	3380
Potentially Toxic Blue Green ASU	ASU/mL	-	-	-	-	-	0.00	25.1	56.8
Potentially Toxic Blue Green Biovol	mm3/L	-	-	-	-	-	0.000	0.03	0.068
Total Blue Green	cells/mL	-	-	-	-	-	3226000	5872000	1665000

MA91 : Individual Species Total Count, Total BioVol, Total ASU

Algae Source*	N/A	-	-	-	-	-	EXTERNAL	EXTERNAL	EXTERNAL
Date of Performance	DD/MM/YY						03/10/23 00:00	03/10/23 00:00	03/10/23 00:00

ORGANICS

TC0049DW : Algal Toxins

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	238592	238593	238594	238595	238596	238597	238598	238599
Sampled Date	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM
Sample Number	L23075541	L23075542	L23075543	L23075544	L23075545	L23075546	L23075547	L23075548

ORGANICS

TC0049DW : Algal Toxins(Continued)

Cylindrospermopsin (extra cellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	-
Cylindrospermopsin (intra cellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	-
Anatoxin-a(extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	-	-	-
Anatoxin-a(intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	-	-	-
Nodularin (extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	-	-	-
Nodularin (intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	-	-	-
Microcystin RR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	-
Microcystin YR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	-
Microcystin LR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	-
Microcystin LR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	-

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	238592	238593	238594	238595	238596	238597	238598	238599
Sampled Date	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM
Sample Number	L23075541	L23075542	L23075543	L23075544	L23075545	L23075546	L23075547	L23075548

ORGANICS

TC0049DW : Algal Toxins(Continued)

Microcystin YR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	-
Microcystin RR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	-
Anatoxin-a(total)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	-	-	-
Cylindrospermopsin(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	-
Microcystin LR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	-
Microcystin RR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	-
Microcystin YR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	-
Nodularin (total)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	-	-	-
Date of Performance	DD/MM/YY	22/09/23	22/09/23	22/09/23	22/09/23	22/09/23			

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS

Saxitoxin	ug/L	<0.4	<0.4	<0.4	<0.4	<0.4	-	-	-
Neosaxitoxin	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	-	-	-

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	238592	238593	238594	238595	238596	238597	238598	238599
Sampled Date	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM
Sample Number	L23075541	L23075542	L23075543	L23075544	L23075545	L23075546	L23075547	L23075548

ORGANICS

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

dcSTX	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-
C2	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	-	-	-
GTX4	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	-	-	-
GTX3	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-
GTX5	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-
dcNeo	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-
dcGTX3	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	-	-	-
GTX6	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	-	-	-
GTX2	ug/L	<1	<1	<1	<1	<1	-	-	-
GTX1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-
C1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-
dcGTX2	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID		238592	238593	238594	238595	238596	238597	238598	238599
Sampled Date		14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM
Sample Number		L23075541	L23075542	L23075543	L23075544	L23075545	L23075546	L23075547	L23075548
ORGANICS									
Date of Performance	DD/MM/YY	25/09/23	25/09/23	25/09/23	25/09/23	25/09/23	25/09/23		

Client Sample ID		238600	238601						
Sampled Date		14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM						
Sample Number		L23075549	L23075550						

ALGAL

MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes

Blue Green ASU	ASU/mL	5018	4680						
Blue Green Biovol	mm3/L	3.23	3.15						
Potentially Toxic Blue Green	cells/mL	11160	17480						
Potentially Toxic Blue Green ASU	ASU/mL	187.5	548.2						
Potentially Toxic Blue Green Biovol	mm3/L	0.227	0.781						
Total Blue Green	cells/mL	1421000	1383000						

* Indicates NATA accreditation does not cover the performance of this service

Client Sample ID	238600	238601						
Sampled Date	14/09/2023 12:00:00 PM	14/09/2023 12:00:00 PM						
Sample Number	L23075549	L23075550						
ALGAL								
MA91 : Individual Species Total Count, Total BioVol, Total ASU								
Algae Source*	N/A	EXTERNAL	EXTERNAL					
Date of Performance	DD/MM/YY	03/10/23 00:00	03/10/23 00:00					

COMMENTS

<u>Sample ID</u>	<u>Comment Level</u>	<u>Method</u>	<u>Test</u>	<u>Comment</u>
L23075546	Method	MA91	-	Debris present in the sample.
L23075547	Method	MA91	-	Debris present in the sample.
L23075548	Method	MA91	-	Debris present in the sample.
L23075549	Method	MA91	-	Debris present in the sample.
L23075550	Method	MA91	-	Debris present in the sample.

* Indicates NATA accreditation does not cover the performance of this service

LABORATORY QC RESULTS

N/A - Not Applicable

PQL - Practical Quantitation Limit

LOQ - Limit of Quantification

RPD - Relative Percent Difference

SPIKE/Positive Control - Addition of a known amount and concentration

Duplicate Precision = Accepted - Result 2 within 95% confidence limits of result 1

Duplicate Precision = Outlier - Result 2 outside 95% confidence limits of result 1

Duplicate Precision = Not calculated - Result is outside test range

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Anatoxin-a(extracellular)						
<0.1 ug/L	<0.1	87 50.0 - 120.0 ug/L	89 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Anatoxin-a(intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Anatoxin-a(total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Cylindrospermopsin (extracellular)						
<0.05 ug/L	<0.05	78 50.0 - 120.0 ug/L	71 % Recovery 50.0 - 130.0 % Recovery	13	13	0.00 % 0.0 - 20.0 %
TC0049DW Cylindrospermopsin (intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Cylindrospermopsin(total)						
<0.05 ug/L	F		E	13	13	0.00 % 0.0 - 20.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin LR(extracellular)						
<0.05 ug/L	<0.05	69 <i>50.0 - 120.0 ug/L</i>	64 % Recovery <i>50.0 - 130.0 % Recovery</i>	0.06	0.06	B <i>0.0 - 0.0 %</i>
TC0049DW Microcystin LR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DW Microcystin LR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DW Microcystin RR(extracellular)						
<0.05 ug/L	<0.05	76 <i>50.0 - 120.0 ug/L</i>	75 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DW Microcystin RR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DW Microcystin RR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DW Microcystin YR(extracellular)						
<0.05 ug/L	<0.05	80 <i>50.0 - 120.0 ug/L</i>	68 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.05	<0.05	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin YR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin YR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Nodularin (extracellular)						
<0.1 ug/L	<0.1	73 50.0 - 120.0 ug/L	72 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0061DW C1						
<0.5 ug/L	<0.5	89 70.0 - 130.0 ug/L	130 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %
TC0061DW C2						
<0.3 ug/L	<0.3	100 70.0 - 130.0 ug/L	120 % Recovery 50.0 - 130.0 % Recovery	<0.3	<0.3	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW dcGTX2						
<0.5 ug/L	<0.5	100 <i>70.0 - 130.0 ug/L</i>	130 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW dcGTX3						
<0.3 ug/L	<0.3	97 <i>70.0 - 130.0 ug/L</i>	90 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW dcNeo						
<0.5 ug/L	<0.5	110 <i>70.0 - 130.0 ug/L</i>	74 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW dcSTX						
<0.5 ug/L	<0.5	120 <i>70.0 - 130.0 ug/L</i>	54 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX1						
<0.5 ug/L	<0.5	95 <i>70.0 - 130.0 ug/L</i>	82 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX2						
<1 ug/L	<1	93 <i>70.0 - 130.0 ug/L</i>	100 % Recovery <i>50.0 - 130.0 % Recovery</i>	<1	<1	B <i>0.0 - 0.0 %</i>
TC0061DW GTX3						
<0.5 ug/L	<0.5	96 <i>70.0 - 130.0 ug/L</i>	100 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW GTX4						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	100 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW GTX5						
<0.5 ug/L	<0.5	100 <i>70.0 - 130.0 ug/L</i>	88 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX6						
<0.3 ug/L	<0.3	100 <i>70.0 - 130.0 ug/L</i>	130 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Neosaxitoxin						
<0.3 ug/L	<0.3	95 <i>70.0 - 130.0 ug/L</i>	80 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Saxitoxin						
<0.4 ug/L	<0.4	100 <i>70.0 - 130.0 ug/L</i>	110 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.4	<0.4	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

Extra Note:

F: Blank is not applicable for this analyte

E: Spike is not applicable for this analyte

DUPLICATE Anatoxin-a(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cylindrospermopsin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcNeo B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcSTX B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX4 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX5 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX6 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Neosaxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Saxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

* Indicates NATA accreditation does not cover the performance of this service